



Climbing equipment (technical specification)

J57010



1- **The 125mm diameter posts** are made of painted galvanised steel. The two-tone grey grained finish has a slightly undulating surface for increased scratch resistance. The caps are made of injection moulded polyamide.



2- **The 95 x 95mm posts** are made of painted galvanised steel, ensuring robustness and durability.



3- **The junction pieces** are made of painted galvanised steel.



4- **The caps** are made of rotary moulded polyethylene.



5- **The tubes** are made of 40mm diameter stainless steel, guaranteeing lasting durability and reliability of the equipment.



6- **Injection moulded polyamide fixings** connect the posts with the platforms and the various play features. They are non-toxic, flameproof and U.V. resistant. The thickness of the polyamide makes the equipment both strong and vandal resistant.



7- **Injection moulded polyamide fixings** connect the posts with the platforms and the various play features.



8- **The coloured panels** are made from a 13mm thick compact material (HPL). Robust in construction, it has excellent weather and vandal resistance properties.



9- **The 16mm diameter ropes** are made of galvanised steel cable covered with polyester. The cables are linked together and held in place by injected polyamide spheres.



10-**The net fittings** are made of polyamide. The fittings are composed of two distinct parts for ease of maintenance of individual strands.



11-**The steps** are made with a non-slip rubber overmould.



12-**The strap** is made of 3 ropes linked together with aluminium pliers. Each rope, of 16mm diameter, is made up of galvanized steel cables covered in polypropylene.



13-**The rubber ring** is a monobloc element made of polyethylene with an outside diameter of 70cm and inside diameter of 45cm.



14-The climbing holds are made of polypropylene. They are non-toxic, inflammable and shock and UV resistant. They give the units their strength and help to protect them from vandalism.



15-The fixings are made of stainless or plated steel and protected by anti-vandalism polyamide caps.