





Aquatica

(technical specification)


J2696



1- **The 95 x 95mm posts** are made of painted galvanised steel, ensuring robustness and durability. The caps are made of injection moulded polyamide.




2- **The coloured panels** are made from a 13mm thick compact material (HPL). Robust in construction, it has excellent weather and vandal resistance properties.




3- **The platforms and the climbing wall** are made from a 12.5mm thick textured and non-slip compact material (HPL).



4- **The tubes** are made of 40mm diameter stainless steel, guaranteeing lasting durability and reliability of the equipment.



5- **Injection moulded polyamide fixings** connect the posts with the platforms and the various play features. They are non-toxic, flameproof and U.V. resistant. The thickness of the polyamide makes the equipment both strong and vandal resistant.



6- **The roof** is made of 3mm thick perforated aluminium coated with polyester epoxy lacquer.



- 7- **The sliding surface** is made of 2mm thick stainless steel, which is shaped, bent and rolled from one piece.
The sides are made from a 13mm thick compact material (HPL).



- 8- **The steps** are made with a non-slip rubber overmould.




- 9- **The seats** are made from rubber, 13mm thick.




- 10-**The 16mm diameter ropes** are made of galvanised steel cable covered with polyester.
The cables are linked together and held in place by injected polyamide spheres.



- 11-**The net fittings** are made of polyamide.
The fittings are composed of two distinct parts for ease of maintenance of individual strands.



- 12-**The portholes** are made from 8mm thick methacrylate (PMMA).



- 13-**The climbing holds** are made of polyamide for its strength and rigidity.



14-The fixings are made of stainless or plated steel and protected by anti-vandalism polyamide caps.