

## (technical specification)

J37102



1- The 102mm diameter posts are made of painted galvanised steel. The two-tone grey grained finish has a slightly undulating surface for increased scratch resistance.



2- The tubes are made of 40mm and 33mm diameter stainless steel, guaranteeing lasting durability and reliability of the equipment.



3- The tubes used for the Parallel bars and Suspension bars are made of electro-galvanized steel (diameter 34 mm) and stainless steel (diameter 40 mm), coated with epoxy paint. Electrogalvanization ensures corrosion resistance and provides a high quality finish. Stainless steel guarantees the longevity and robustness of the equipment over time.

The epoxy paint ensures better grip.



4- The caps are made of of painted aluminium (A) or rotary moulded polyethylene (B).




5- The fixing elements are made of painted aluminium.



6- Injection moulded polyamide fixings connect the posts with the platforms and the various play features. They are non-toxic, flameproof and U.V. resistant. The thickness of the polyamide makes the equipement both strong and vandal resistant.





**7- The coloured panels** are made from a 13mm thick compact material (HPL). Robust in construction, it has excellent weather and vandal resistance properties.



**8- The Central Column seating** is supported by a painted galvanized steel frame structure.



**9- The Balancing board** is fitted to a galvanized steel post, diameter 114 mm. A ball and socket joint ensures ease of movement.



**10-The Coat Hook** is made of polypropylene.



11-The stainless steel Tai Chi wheel rotation system is equipped with bearings.



**12-The fixings** are made of stainless or plated steel and protected by anti-vandalism polyamide caps.

