

ACTI'Fit (technical specification)

J37107



1- The 102mm diameter posts are made of painted galvanised steel. The two-tone grey grained finish has a slightly undulating surface for increased scratch resistance.




2- The caps are made of painted aluminium (A) or rotary moulded polyethylene (B).



3- The tubes are made of 40mm and 33mm diameter stainless steel, guaranteeing lasting durability and reliability of the equipment.



4- The tubes used for the Parallel bars and Suspension bars are made of electro-galvanized steel (diameter 34 mm) and stainless steel (diameter 40 mm), coated with epoxy paint. Electrogalvanization ensures corrosion resistance and provides a high quality finish. Stainless steel guarantees the longevity and robustness of the equipment over time.
The approximate provide better trip.





5- The fixing collars are made of painted aluminium.



6- The coloured panels are made from a 13mm thick compact material (HPL). Robust in construction, it has excellent weather and vandal resistance properties.





7- The Central Column seating is supported by a painted galvanized steel frame structure.



8- The 70 x 70mm post is made of painted galvanised steel, ensuring robustness and durability.



9- The cap is made of painted metallic steel.



10-The polyurethane foam seat ensures lasting comfort. Polyurethane foam is a resistant and shape memory material that helps to prevent overheating.



11-The hydraulic oil piston is made up of elements manufactured from chrome, aluminium and stainless steel. Users can adjust the resistance from just a few kilogrammes up to as much as 60kg on certain machines.



12-The handles are made of polyvinyl chloride.



13-The Punching bag, which is made of polyurethane foam, is covered in a waterproof cotton canvas material.

It is held up with small link stainless steel chains.





14-The Punching ball, which is filled with EPDM aggregates, is covered in a waterproof cotton canvas material.



15-The smartphone holder is made of polyamide for its strength and rigidity.



16-The Coat Hook is made of polypropylene.



17-The fixings are made of stainless or plated steel and protected by anti-vandalism polyamide caps.

