

Kanopé (technical specification)


J56012



1- The 95 x 95mm posts are made of painted galvanised steel, ensuring robustness and durability.



2- The 125mm diameter posts are made of painted galvanised steel. The two-tone grey grained finish has a slightly undulating surface for increased scratch resistance. The caps are made of injection moulded polyamide.



3- The coloured panels are made from a 13mm thick compact material (HPL). Robust in construction, it has excellent weather and vandal resistance properties.



4- The slatted fences are made of composite wood (slats of 70 x 30 mm), which is a chip and split resistant waterproof material with UV protection.



5- The decorative fence panels are made of 3mm thick painted aluminium sheets.



6- The wall panels are made of 3mm perforated aluminium sheet coated with a polyester epoxy lacquer.





7- The panels are made of stainless steel mesh netting, Ø 6mm.



8- The platforms are made from a 12.5mm thick textured and non-slip compact material (HPL).



9- The soft ramp is made of a woven strip with rubber surface.



10-The tubes are made of 40mm diameter stainless steel, guaranteeing lasting durability and reliability of the equipment.



11-The 16mm diameter ropes are made of galvanised steel cable covered with polyester. The cables are linked together and held in place by injected polyamide spheres.



12-The fittings are made of polyamide and are used to link three cords together.



13-The net fittings are made of polyamide.

The fittings are composed of two distinct parts for ease of maintenance of individual strands.





14-The footrests are made from rubber, 14mm thick.



15-The slides are made of rotomoulded polyethylene.



16-The sliding surface is made of 2mm thick stainless steel, which is shaped, bent and rolled from one piece.



17-The abacus spheres are made of polycarbonate sheets.



18-The seats are made with a non-slip rubber overmould.




19-The chains are made of stainless steel.



20-The distorting mirror is made of 2mm thick polished stainless steel sheet.





21-The portholes are made from 8mm thick methacrylate (PMMA).



22-The porthole is made of shatter resistant thermoplastic (PMMA).



23-The fixings are made of stainless or plated steel and protected by anti-vandalism polyamide caps.

