


rocking crib Milo



Age indi-
cation



Speed



Recreation





Social
skills

Scope of delivery

2x posts

2x cross-joint: stainless steel

1x nest swing basket Ø 90 cm: rope ring, steel cable-link
mat, rubber fabric over chain suspension



rocking crib Milo



Technical data

	Material	Robinia natural
	Minimum space	5,72x3,00x2,55 m
	Impact protection net	13,0 m ²
	Free falling height	95 cm
	Ground constitution GE/NL/B	at least turf
	Ground constitution all except GE/NL/B	at least turf
	Size	300x90x175 cm
	Certificate	-
	Tested according to standard	EN 1176 - 1/2/7

Installation information


	Foundations	2x CF
	Fundamentlevel	ET 900
	CF Accessories	-
	CF drainage	0,13 m ³
	CF concrete	0,64 m ³
	CF excavation	1,28 m ³



Gesellschaft
für Klimaschutz
München



5 45 078 063 00 rocking crib Milo



CO₂ emissions of the product

164,4 kg


**Material share of
renewable raw materials**

89%

Recyclate content

2%

Circularity score



**Weighted emission factor
of the product***



Disclaimer:

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.

* The CO₂e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024