

play unit Dirk, solo



Age indi-
cation



Fitness



Social
skills





Living to-
gether



Speed

Scope of delivery

4x post structure: robinia
1x platform structure: robinia
1x sloped ladder: robinia
2x parapet: robinia
1x walk-through protection: robinia
1x slide entry plate
1x set of grips: coated aluminium
4x squared timber
fittings: stainless steel



play unit Dirk, solo



Technical data

	Material	Robinia natural
	Minimum space	8,35x4,20x3,25 m
	Impact protection net	27,5 m²
	Free falling height	145 cm
	Ground constitution GE/NL/B	at least lawn
	Ground constitution all except GE/NL/B	at least sand
	Largest section	Ø 14x327 cm
	mx. number of users	7
	Certificate	Z2_010651_0524_Rev00

Installation information

	Foundations	6x CF
	Fundamentlevel	ET 700
	Assembly	2 persons/2 h
	PF Accessories	-
	PF drainage	-
	PF concrete	-
	PF excavation	-
	CF Accessories	-
	CF drainage	0,15 m³
	CF concrete	0,46 m³
	CF excavation	1,22 m³

Accessories

-  Slides for platform heights: 1x 145 cm
- Installation accessories e.g. PF
Please order accessories separately to complete the appliance.



Gesellschaft
für Klimaschutz
München



5 45 310 063 00

play unit Dirk, solo



CO₂ emissions of the product

70 kg

**Material share of
renewable raw materials**

99%


Recyclate content

1%

Circularity score



**Weighted emission factor
of the product***



Disclaimer:

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.

* The CO₂e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024