

play unit Levi, solo



Age indi-
cation



Fitness



Social
skills





Speed



Balance

Scope of delivery

6x post unit: robinia
1x platform unit: robinia
1x chicken ladder: robinia
1x climbing panel: robinia
1x floating piles: robinia, plastic-coated steel rope
1x ladder sloped: robinia
1x slide entry board: robinia
3x walk-through protection: robinia
2x set of climbing grips: aluminium, plastic-coated
6x squared timber: robinia



play unit Levi, solo



Technical data

	Material	Robinia natural
	Minimum space	8,52x6,46x2,75 m
	Impact protection net	38,0 m²
	Free falling height	95 cm
	Ground constitution GE/NL/B	at least lawn
	Ground constitution all except GE/NL/B	at least lawn
	mx. number of users	21
	Certificate	Z2_010651_0524_Rev00
	Tested according to standard	EN 1176 - 1/3/7

Installation information

	Foundations	12x CF
	Fundamentlevel	ET 700
	Assembly	2 persons/6 h
	PF Accessories	-
	PF drainage	-
	PF concrete	-
	PF excavation	-
	CF Accessories	-
	CF drainage	0,34 m³
	CF concrete	1,03 m³
	CF excavation	2,74 m³

Accessories

-  Slides for platform heights: 1x 95 cm
- Installation accessories e.g. PF
Please order accessories separately to complete the
appliance.




Gesellschaft
für Klimaschutz
München



5 45 321 063 00

play unit Levi, solo



CO₂ emissions of the product

154,3 kg


Material share of renewable raw materials

98%

Recyclate content

2%

Circularity score



Weighted emission factor of the product*



Disclaimer:

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.

* The CO₂e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024