

Sand and mud play unit Oliver



Age indication



Fine motor skills



Senses



Social skills




Living together



Creativity

Scope of delivery

11x post construction: robinia
 5x platform construction: robinia
 1x ramp: robinia
 1x parapet: robinia
 3x walk-through protection: robinia
 1x parapet with counter: robinia
 1x overhead conveyor: stainless steel, rubber
 16x square timber: robinia
 1x cooktop: robinia, high-pressure laminate (HPL)
 1x sand crane: robinia, stainless steel
 2x sand channel: robinia
 1x sand sieve: stainless steel
 fittings: stainless steel



Sand and mud play unit Oliver



Technical data

	Material	robinia natural
	Minimum space	6,22x5,72x2,45 m
	Impact protection net	-
	Free falling height	50 cm
	Ground constitution GE/NL/B	at least stone
	Ground constitution all except GE/NL/B	at least stone
	Size	3,37x3,46x2,45 m
	mx. number of users	25
	Tested according to standard	EN 1176 - 1/7

Installation information

	Foundations	13x CF
	Fundamentlevel	ET 700
	PF Accessories	-
	PF drainage	-
	PF concrete	-
	PF excavation	-
	CF Accessories	-
	CF drainage	0,31 m³
	CF concrete	0,92 m³
	CF excavation	2,46 m³



Gesellschaft
für Klimaschutz
München



5 45 452 063 00

Sand and mud play unit Oliver



CO₂ emissions of the product

315,2 kg


**Material share of
renewable raw materials**

93%

Recyclate content

6%

Circularity score



**Weighted emission factor
of the product***



Disclaimer:

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.

* The CO₂e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024