

Double swing Malte



Age indi-
cation



Speed



Senses



Social
skills

Scope of delivery


4x post construction: robinia

1x swing beam: robinia

4x swing joint: stainless steel (V2A)

2x safety swing seat with chain: black rubber, stainless steel (V2A)

fittings: stainless steel (V2A)



Double swing Malte



Technical data

	Material	robinia oiled
	Minimum space	7,86x3,45x3,18 m
	Impact protection net	23,0 m ²
	Free falling height	138 cm
	Ground constitution GE/NL/B	at least lawn
	Ground constitution all except GE/NL/B	at least sand
	Largest section	0,12x0,12x3,76 m
	mx. number of users	2
	Tested according to standard	EN 1176 - 1/2/7

Installation information

	Foundations	4x CF
	Fundamentlevel	ET 700
	Assembly	2 persons/4 h
	Lifting devices	Excavator
	PF Accessories	-
	PF drainage	-
	PF concrete	-
	PF excavation	-
	CF Accessories	-
	CF drainage	0,10 m ³
	CF concrete	0,30 m ³
	CF excavation	0,80 m ³

Legend: PF=prefabricated foundation, CF=concrete foundation, ET=burial depth, GFRP=glass-fibre reinforced plastic, VA=stainless steel, PH=platform height

eibe Produktion + Vertrieb GmbH & Co. KG | Industriestraße 1 | 97285 Röttingen | Germany | Fon +49 9338 89-0 | Fax +49 9338 89-199 | www.eibe.net



Gesellschaft
für Klimaschutz
München



5 71 407 053 00

Double swing Malte



CO₂ emissions of the product

96,9 kg

**Material share of
renewable raw materials**

93%

Recyclate content

6%

Circularity score



Weighted emission factor
of the product*



Disclaimer:

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.

* The CO₂e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024