

# Seat platform Resting Point



Age indi-  
cation




Living to-  
gether



Recreation

## Scope of delivery

1x platform: high-pressure-laminate (HPL), softwood  
fittings: stainless steel (V2A)



# Seat platform Resting Point



## Technical data

|                                                                                     |                                           |                      |
|-------------------------------------------------------------------------------------|-------------------------------------------|----------------------|
|  | Material                                  | SW pi                |
|  | Minimum space                             | 5,02x4,77x2,29 m     |
|  | Impact protection net                     | -                    |
|  | Free falling height                       | 49 cm                |
|  | Ground constitution<br>GE/NL/B            | at least stone       |
|  | Ground constitution<br>all except GE/NL/B | at least stone       |
|  | Size                                      | 2,03x1,78x0,49 m     |
|  | mx. number of users                       | 12                   |
|  | Certificate                               | Z2_010651_0537_Rev00 |
|  | Tested according to<br>standard           | EN 1176 - 1/7        |
|  | Service interval (in<br>months)           | 6                    |

## Installation information

|                                                                                     |                |                 |
|-------------------------------------------------------------------------------------|----------------|-----------------|
|  | Foundations    | 6x CF or 6x PFs |
|  | Fundamentlevel | ET 400          |
|  | Assembly       | 2 persons/6 h   |
|  | PF Accessories | 6x 5632540      |
|  | PF drainage    | -               |
|  | PF concrete    | -               |
|  | PF excavation  | 1,37 m³         |
|  | CF Accessories | 6x 5631120      |
|  | CF drainage    | -               |
|  | CF concrete    | 0,29 m³         |
|  | CF excavation  | 0,67 m³         |



Gesellschaft  
für Klimaschutz  
München



5 25 715 011 72

# Seat platform Resting Point



**CO<sub>2</sub> emissions of the product**

**236,9 kg**


**Material share of  
renewable raw materials**

**73%**


**Recyclate content**

**12%**

Circularity score



Weighted emission factor  
of the product\*



**Disclaimer:**

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at [gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/](https://gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/).

\* The CO<sub>2</sub>e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024