


Balance station Jesper



Age indi-
cation



Fitness



Balance




Senses




Speed

Scope of delivery

1x rubber band transition: plastic-coated steel cable, robinia
fittings: stainless steel



Balance station Jesper



Technical data

	Material	robinia natural
	Minimum space	6,30x3,60x2,35 m
	Impact protection net	-
	Free falling height	55 cm
	Ground constitution GE/NL/B	at least stone
	Ground constitution all except GE/NL/B	at least stone
	Size	3,18x0,58x0,59 m
	mx. number of users	6
	Tested according to standard	EN 1176 - 1/7

Installation information

	Foundations	2x CF
	Fundamentlevel	ET 700
	PF Accessories	-
	PF drainage	-
	PF concrete	-
	PF excavation	-
	CF Accessories	-
	CF drainage	0,08 m³
	CF concrete	0,24 m³
	CF excavation	0,64 m³



Gesellschaft
für Klimaschutz
München



5 45 462 063 00

Balance station Jesper



CO₂ emissions of the product

29 kg


Material share of renewable raw materials

97%

Recyclate content

1%

Circularity score



Weighted emission factor of the product*



Disclaimer:

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.

* The CO₂e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024