

Play unit Matti, solo



Age indication



Speed



Balance



Fitness





Creativity



Fine motor skills

Scope of delivery

13x post construction: robinia
5x platform construction: robinia
1x leaf roof: robinia
1x wild saddleback roof: robinia
1x marble track: high-pressure laminate (HPL), robinia, softwood
1x staircase: robinia
1x staircase: robinia, high-pressure laminate (HPL)
2x parapet: robinia
2x decoration parapet Zaun: high-pressure laminate (HPL), robinia
1x slide entry board: robinia
2x slide entry board: high-pressure laminate (HPL), robinia
1x play parapet beetle race track: high-pressure laminate (HPL), robinia
1x play parapet fir: high-pressure laminate (HPL), larch
1x decoration element: high-pressure laminate (HPL)
1x decoration element: robinia
2x decoration saddle roof: Hochdrucklamit (HPL)
3x platform decoration: high-pressure laminate (HPL)
2x grip set: aluminium, coated
17x square timber: robinia



Play unit Matti, solo



Technical data

	Material	robinia natural/HPL
	Minimum space	6,29x7,77x3,32 m
	Impact protection net	26,0 m²
	Free falling height	95 cm
	Ground constitution GE/NL/B	at least lawn
	Ground constitution all except GE/NL/B	at least sand
	Size	5,40x4,14x3,32 m
	Largest section	-
	Heaviest section	-
	mx. number of users	20
	Tested according to standard	EN 1176 - 1/3/7

Installation information

	Foundations	15x CF
	Fundamentlevel	ET 700
	PF Accessories	-
	PF drainage	-
	PF concrete	-
	PF excavation	-
	CF Accessories	-
	CF drainage	0,36 m³
	CF concrete	1,09 m³
	CF excavation	2,90 m³

Accessories

-  Slides for platform heights: 1x 95 cm
- Installation accessories e.g. PF
Please order accessories separately to complete the
appliance.



Gesellschaft
für Klimaschutz
München



5 45 831 063 04

Play unit Matti, solo



CO₂ emissions of the product

499 kg


**Material share of
renewable raw materials**

81%

Recyclate content

2%

Circularity score



Weighted emission factor
of the product*



Disclaimer:

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.

* The CO₂e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024