5 26 009 841 12


Playhouse Mori



Age indication | Recreation | Inclusion | Social skills | Living together

Scope of delivery

4x post construction: recycled plastic (PCR), galvanised steel
1x gable roof: recycled polyethylene sheet (rHDPE)
1x play parapet rubbish monster: recycled polyethylene sheet (rHDPE)
1x play parapet sliding game: recycled polyethylene sheet (rHDPE)
2x counter: recycled polyethylene sheet (rHDPE)
fittings: stainless steel



5 26 009 841 12

Playhouse Mori



Technical data

Material	Recycled plastic
Minimum space	3,92x3,92x2,39 m
Impact protection net	-
Free falling height	59 cm
Ground constitution DE/NL/BE	at least stone
Ground constitution all except DE/NL/BE	at least stone
Size	1,43x1,34x2,17 m
mx. number of users	3
Tested according to standard	EN 1176-1/7
Service interval (in months)	6

Installation information

Foundations	4x PFs or 4x CF
Fundamentlevel	ET 400
PF Accessories	4x 5632540
PF drainage	-
PF concrete	-
PF excavation	0,92 m^3
CF Accessories	4x 5631120
CF drainage	-
CF concrete	0,19 m^3
CF excavation	0,45 m^3

Legend: PF=prefabricated foundation, CF=concrete foundation, ET=burial depth, GFRP=glass-fibre reinforced plastic, VA=stainless steel, PH=platform height

Gesellschaft für Klimaschutz München

eibe complete inspiration

5 26 009 841 12

Playhouse Mori



CO_2 emissions of the product	**287,3 kg**
Material share of renewable raw materials	**0,1%**
Recyclate content	**93%**

Circularity score



Weighted emission factor of the product*



Disclaimer:
This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.
* The CO_2e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024