5 26 012 841 12


Play unit Kumo, solo



Age indication | Balance | Living together | Social skills | Speed | Fine motor skills | Knowledge | Fitness | Recreation

Scope of delivery


8x post construction: recycled plastic (PCR), galvanised steel
4x cover: plastic
3x platform construction: recycled polyethylene sheet (HDPE), galvanised steel
1x gable roof: recycled polyethylene sheet (HDPE)
1x chain net ascent: recycled plastic (PCR), recycled polyethylene sheet (HDPE), stainless steel (V2A)
2x climbing board: recycled polyethylene sheet (HDPE)
1x ramp: recycled plastic (PCR), recycled polyethylene sheet (HDPE)
1x decorative parapet dog: recycled polyethylene sheet (HDPE)
1x decorative parapet mouse: recycled polyethylene sheet (HDPE)
1x play parapet stack of 3: recycled polyethylene sheet (HDPE)
1x play parapet sliding game: recycled polyethylene sheet (HDPE)
1x passage safety device with sliding game: stainless steel (V2A), recycled polyethylene sheet (HDPE)
2x passage safety device: stainless steel (V2A)
2x frame panel: recycled polyethylene sheet (HDPE)
1x play counter: recycled polyethylene sheet (HDPE)
2x access restriction: recycled polyethylene sheet (HDPE)
1x slide entry board: recycled polyethylene sheet (HDPE)
fittings: stainless steel (V2A)



eibe Produktion + Vertrieb GmbH & Co. KG | Industriestraße 1 | 97285 Röttingen | Germany | Fon +49 9338 89-0 | Fax +49 9338 89-199 | www.eibe.net

5 26 012 841 12

Play unit Kumo, solo



Technical data

Material	recycled plastic (PCR)
Minimum space	6,50x5,71x2,82 m
Impact protection net	22,5 m^2
Free falling height	95 cm
Ground constitution DE/NL/BE	at least lawn
Ground constitution all except DE/NL/BE	at least lawn
Size	3,46x3,09x2,82 m
mx. number of users	13
Tested according to standard	EN 1176-1/3/7
Service interval (in months)	6

Installation information

Foundations	12x PFs or 12x CF
Fundamentlevel	ET 400
PF Accessories	12x 5632540
PF drainage	-
PF concrete	-
PF excavation	2,75 m^3
CF Accessories	12x 5631120
CF drainage	-
CF concrete	0,58 m^3
CF excavation	1,34 m^3

Accessories

Slides for platform heights: 1x 95 cm

Installation accessories e.g. PF
Please order accessories separately to complete the appliance.

Legend: PF=prefabricated foundation, CF=concrete foundation, ET=burial depth, GFRP=glass-fibre reinforced plastic, VA=stainless steel, PH=platform height

eibe Produktion + Vertrieb GmbH & Co. KG | Industriestraße 1 | 97285 Röttingen | Germany | Fon +49 9338 89-0 | Fax +49 9338 89-199 | www.eibe.net

Gesellschaft für Klimaschutz München

eibe complete inspiration

5 26 012 841 12

Play unit Kumo, solo



CO_2 emissions of the product	**701 kg**
Material share of renewable raw materials	**0,04%**
Recyclate content	**94%**

Circularity score



Weighted emission factor of the product*



Disclaimer:
This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.
* The CO_2e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024