5 26 017 841 12


Play unit Akari, solo



Age indication | Balance | Living together | Social skills | Speed | Fitness | Recreation

Scope of delivery

11x post construction: recycled plastic (PCR), galvanised steel
3x cover: plastic
3x platform construction: recycled polyethylene sheet (rHDPE), galvanised steel
2x triangular roof: recycled polyethylene sheet (rHDPE)
1x chain net ascent: recycled plastic (PCR), recycled polyethylene sheet (rHDPE), stainless steel
1x climbing board: recycled polyethylene sheet (rHDPE)
1x spider web: plastic-coated steel cable, stainless steel, plastic
1x rope ascent: recycled plastic (PCR), plastic-coated steel cable
1x gecko walkway: stainless steel, recycled polyethylene sheet (rHDPE)
1x zigzag climber: stainless steel
1x parapet: recycled polyethylene sheet (rHDPE)
1x decorative parapet mouse: recycled polyethylene sheet (rHDPE)
1x Origami roof panel: recycled polyethylene sheet (rHDPE)
3x passage safety device: stainless steel
4x grip set: recycled polyethylene sheet (rHDPE)
1x counter: recycled polyethylene sheet (rHDPE)
2x access restriction: stainless steel
1x slide entry board: recycled polyethylene sheet (rHDPE)
fittings: stainless steel



5 26 017 841 12

Play unit Akari, solo



Technical data

Material	recycled plastic (PCR)
Minimum space	8,30x9,11x3,37 m
Impact protection net	44,5 m^2
Free falling height	147 cm
Ground constitution DE/NL/BE	at least grass
Ground constitution all except DE/NL/BE	at least sand
mx. number of users	25
Tested according to standard	EN 1176-1/3/7
Service interval (in months)	6

Installation information

Foundations	16x PFs or 16x CF
Fundamentlevel	ET 400
PF Accessories	16x 5632540
PF drainage	-
PF concrete	-
PF excavation	3,66 m^3
CF Accessories	16x 5631120
CF drainage	-
CF concrete	0,82 m^3
CF excavation	1,90 m^3

Accessories

Slides for platform heights: 1x 145 cm

Installation accessories e.g. PF
Please order accessories separately to complete the appliance.

Legend: PF=prefabricated foundation, CF=concrete foundation, ET=burial depth, GFRP=glass-fibre reinforced plastic, VA=stainless steel, PH=platform height

Gesellschaft für Klimaschutz München

eibe complete inspiration

5 26 017 841 12

Play unit Akari, solo



CO_2 emissions of the product	**1051,7 kg**
Material share of renewable raw materials	**0,01%**
Recyclate content	**95%**

Circularity score



Weighted emission factor of the product*



Disclaimer:
This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.
* The CO_2e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024