5 26 036 841 52


Mud play table Umi



Age indication | Creativity | Inclusion

Scope of delivery

1x tabletop:recycled plastic (PCR)
1x table leg: recycled polyethylene sheet (rHDPE)
fittings: stainless steel



5 26 036 841 52

Mud play table Umi



Technical data

mx. number of users	4

Installation information

Foundations	1x PFm or 1x CF
Fundamentlevel	ET 400
PF Accessories	1x 5631150
PF drainage	-
PF concrete	-
PF excavation	0,23 m^3
CF Accessories	1x 5631120
CF drainage	-
CF concrete	0,08 m^3
CF excavation	0,11 m^3

Legend: PF=prefabricated foundation, CF=concrete foundation, ET=burial depth, GFRP=glass-fibre reinforced plastic, VA=stainless steel, PH=platform height

5 26 036 841 52

Mud play table Umi

Renewable raw materials, recycled material

Circular product design

Longevity

Sustainable production

CO_2 emissions of the product	**32,6 kg**
Material share of renewable raw materials	**0,86%**
Recyclate content	**93%**

Circularity score

Weighted emission factor of the product*

2,01 kg

Disclaimer:
This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.
* The CO_2e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024