




Kanopé

(technical specification)

J5615




1- **The 95 x 95mm posts** are made of painted galvanised steel, ensuring robustness and durability.




2- **The coloured panels** are made from a 13mm thick compact material (HPL). Robust in construction, it has excellent weather and vandal resistance properties.



3- **The blades** are made of wood-plastic composites (WPCs), 95% of which is recycled plastic material (HDPE) and post-industrial wood sawdust. They are covered with a thin decorative brown wooden layer, which makes the material resistant and waterproof, and ensures the colours do not alter over time. The planks do not require specific maintenance.



4- **The platforms** are made from a 12.5mm thick textured and non-slip compact material (HPL).



5- **The tubes** are made of 40mm diameter stainless steel, guaranteeing lasting durability and reliability of the equipment.



6- **Injection moulded polyamide fixings** connect the posts with the platforms and the various play features. They are non-toxic, flameproof and U.V. resistant. The thickness of the polyamide makes the equipment both strong and vandal resistant.



7- **The sliding surface** is made of 2mm thick stainless steel, which is shaped, bent and rolled from one piece.



8- **The 16mm diameter ropes** are made of galvanised steel cable covered with polyester. The cables are linked together and held in place by injected polyamide spheres.



9- **The net fittings** are made of polyamide. The fittings are composed of two distinct parts for ease of maintenance of individual strands.



10-**The buckets** are made of rotomoulded polyethylene.



11-**The caps** are made of rotary moulded polyethylene.



12-**Plastic parts** are made of injected polyamide.



13-**The handle** is made of very strong polyamide plastic.



14-The fixings are made of stainless or plated steel and protected by anti-vandalism polyamide caps.